


## PATH TO THE FUTURE

Wer beim Gaming der Beste der Besten sein will, braucht nicht nur überlegene Skills, sondern auch eine überragende Ausrüstung, die ihm beim Gefecht mit seinen Widersachern den entscheidenden Vorteil gibt. Der MSI MAG 274PFWDE ermöglicht mit einer blitzschnellen Reaktionszeit von 1ms und einer rasanten Bildwiederholungsrate von 180 Hz absolut schlierenfreie Darstellungen mit butterweichen Bildübergängen für nie dagewesene Bildqualität. Ganz egal ob entspannte Gaming-Session oder hektische Online-Matches: Der 27 Zoll mit FHD-Auflösung verbindet Profi-Gaming von chirurgischer Präzision mit einem nie dagewesenem visuellen Erlebnis und ist damit die erste Wahl für E-Sportler und Grafik-Enthusiasten gleichermaßen. Schneller, präziser, besser – das ist der MAG 274PFWDE von MSI.



## SELLING POINTS

- Rapid IPS-Panel – Bietet eine schnelle Reaktionszeit von 1 ms GtG und optimiert Bildschirmfarben und Helligkeit.
- 180Hz Bildwiederholrate – Schnellere Reaktion durch flüssigere Bilder.
- 1 ms GtG Reaktionszeit – Verhindert Bildschirmrisse und ungleichmäßige Bildraten.
- Verstellbarer Standfuß – Ermöglicht einfache Anpassung der Monitorposition für maximale Ergonomie.
- Adaptive-Sync-Technologie – Flüssiges, ruckelfreies Gaming ohne Tearing.
- HDR Ready – Bietet beeindruckende Details durch Anpassung von Kontrast und Schatten.
- AI Vision – Die neue AI Vision-Technologie kann nicht nur Details in dunklen Bereichen sichtbar machen, sondern auch die Gesamthelligkeit erhöhen und Farben satter darstellen.



1. 5-Wege Joystick Navigation
2. HDMI™ 2.1 (FHD@180Hz)
3. Display Port 1.2a
4. Kopfhörerausgang
5. Stromanschluss
6. Kensington Lock



M O N I T O R

MAG 274PFWDE

M A G 2 7 4 P F W D E

## SPECIFICATION

|                |                                             |                              |
|----------------|---------------------------------------------|------------------------------|
| Model          | SKU Number                                  | 9S6-3CC29H-299               |
|                | Entity MKT Name                             | MAG 274PFWDE                 |
|                | Part No                                     | 9S6-3CC29H-299               |
|                | Color                                       | ID1/White-White              |
| Display        | Screen Size                                 | 27" (69 cm)                  |
|                | Active Display Area (mm)                    | 597.888(H) x 336.312(V)      |
|                | Curvature                                   | Flat                         |
|                | Panel Type                                  | Rapid IPS                    |
|                | Resolution                                  | 1920x1080 (FHD)              |
|                | Pixel pitch (mm)                            | 0.3114(H)x0.3114(V)          |
|                | Aspect Ratio                                | 16:9                         |
|                | Dynamic Refresh Rate technology             | Adaptive-Sync                |
|                | Dynamic Refresh Rate Activated Range        | 48~180Hz                     |
|                | HDR (High dynamic range)                    | HDR Ready                    |
|                | SDR Brightness (nits)                       | 300                          |
|                | Contrast Ratio                              | 1000:1                       |
|                | DCR (Dynamic Contrast Ratio)                | 100000000:1                  |
|                | Signal Frequency                            | 30~200 KHz(H) / 48~180 Hz(V) |
|                | Refresh Rate                                | 180Hz                        |
|                | Response Time (MPRT)                        | 1ms(MPRT)                    |
|                | Response Time (GTG)                         | 1ms                          |
|                | View Angles                                 | 178°(H)/178°(V)              |
|                | NTSC (CIE1976 area percentage/overlap)      | 103%/86%                     |
|                | NTSC (CIE1931 area percentage/overlap)      | 89%/82%                      |
|                | sRGB (CIE1976 area percentage/overlap)      | 117%/99%                     |
|                | sRGB (CIE1931 area percentage/overlap)      | 126%/99%                     |
|                | Adobe RGB (CIE1976 area percentage/overlap) | 100%/90%                     |
|                | Adobe RGB (CIE1931 area percentage/overlap) | 93%/86%                      |
|                | DCI-P3 (CIE1976 area percentage/overlap)    | 93%/92%                      |
|                | DCI-P3 (CIE1931 area percentage/overlap)    | 92%/92%                      |
|                | Rec.709 (CIE1976 area percentage/overlap)   | 117%/99%                     |
|                | Rec.709 (CIE1931 area percentage/overlap)   | 126%/99%                     |
|                | Rec.2020 (CIE1976 area percentage/overlap)  | 68%/68%                      |
|                | Rec.2020 (CIE1931 area percentage/overlap)  | 66%/66%                      |
|                | Surface Treatment                           | Anti-glare                   |
|                | Display Colors                              | 1.07B                        |
|                | Color bit                                   | 10 bits (8 bits + FRC)       |
| Schnittstellen | Headphone-out                               | 1                            |
|                | Card reader                                 | N/A                          |
|                | Lock type                                   | Kensington Lock              |
|                | HDMI                                        | 2                            |
|                | HDMI version                                | 2.0                          |
|                | HDMI HDCP version                           | 2.3                          |
|                | DisplayPort                                 | 1                            |
|                | DisplayPort version                         | 1.2a                         |
|                | DisplayPort HDCP version                    | 2.3                          |
| Garantie       | Warranty                                    | 36 Monate Pick-Up & Return   |
| Power          | Power Type                                  | External Adaptor 12V 3A      |
|                | Power Input                                 | 100~240V, 50/60Hz            |
|                | On-mode Power Consumption (KWh/1000h)       | 21                           |
|                | Annual Energy Consumption (KWh)             | 21                           |
|                | Standby-mode Power Consumption (W)          | 0.5                          |
|                | Off-mode Power Consumption (W)              | 0.3                          |
|                | Energy Efficiency Rating                    | E                            |
|                | Power Cord Type                             | C13                          |



MONITOR

MAG 274PFWDE

MAG 274PFWDE

|                                    |                                              |                       |
|------------------------------------|----------------------------------------------|-----------------------|
| Zubehör                            | DisplayPort Cable                            | 0                     |
|                                    | HDMI Cable                                   | 1                     |
|                                    | DVI Cable                                    | 0                     |
|                                    | USB Type A to Type B Cable                   | 0                     |
|                                    | USB Type C to Type A Cable                   | 0                     |
|                                    | USB Type C to Type C Cable                   | 0                     |
|                                    | Thunderbolt Cable                            | 0                     |
|                                    | VGA Cable                                    | 0                     |
|                                    | 3.5mm audio Cable                            | 0                     |
|                                    | 3.5mm combo audio Cable                      | 0                     |
|                                    | 3.5mm Mic Cable                              | 0                     |
|                                    | Power Cord                                   | 1                     |
|                                    | AC Adaptor                                   | 1                     |
|                                    | Quick Guide                                  | 1                     |
|                                    | Warranty Card                                | 0                     |
|                                    | Mouse Bungee Unit                            | 0                     |
| Design                             | Adjustment (Tilt)                            | -5° ~ 20°             |
|                                    | Adjustment (Swivel)                          | -45° ~ 45°            |
|                                    | Adjustment (Height)                          | 0 ~ 130 mm            |
|                                    | Adjustment (Pivot)                           | -90° ~ 90°            |
|                                    | VESA Mounting                                | 75x75mm               |
| Abmessungen & Gewicht (Product)    | Product Dimension with Stand (WxDxH) (mm)    | 613.5 x 196.5 x 402.1 |
|                                    | Product Dimension without Stand (WxDxH) (mm) | 613.5 x 69.8 x 362.5  |
|                                    | Stand Dimension (WxDxH) (mm)                 | 242.2 x 196.5 x 399.2 |
|                                    | Weight (Net kg)                              | 6.05                  |
|                                    | Weight Without Stand (kg)                    | 3.95                  |
| Abmessungen & Gewicht (Verpackung) | Inside Carton Dimension (WxDxH) (cm)         | 81.5 x 14.5 x 50.2    |
|                                    | Outer Carton Dimension (WxDxH) (cm)          | 83 x 15.8 x 52.6      |
|                                    | Weight (Gross kg)                            | 7.85                  |
| Barcode Info                       | EAN                                          | 4711377196475         |